



**ESSENTIAL**  
ACCESS PLATFORMS & SITE SERVICES

# ABOUT US

## ESSENTIAL ACCESS PLATFORMS

Here at Essential Access Platforms, we operate a modern hire fleet of scissor lifts, booms lifts and specialist spider lifts. We offer a thorough service to all our customers, working hard to ensure the correct selection of platform for your requirements resulting in a successful rental every time.

### OUR COMMITMENT

When you choose Essential Access Platforms to supply your powered access requirements, we will make sure you have the correct equipment for the job in hand. We are happy to visit your premises or site location to carry out a free of charge site survey. We focus on Health and safety, ground types of access routes and high-level complications that may result in injury or damage not only to the job but on the route to and from the job.



### LONG OR SHORT TERM HIRES

We can provide short- or long-term hire rentals with a variety of MEWPS on lease contracts. All platforms are maintained on service contracts ensuring optimal use over out of hours and shutdown periods.

## ESSENTIAL SITE SERVICES

Here at Essential Site Services, we take the hassle out of your hire. With a network of over 200 local & regional suppliers we ensure that no matter the job or location we can support you through your 1 credit account.



### OUR KEY BENEFITS



Single point of contact end to end.



Any item / Any place, National coverage with local service.



Invoice accuracy with <1% credits raised saving you time.



Speed of response < 45 minute from enquiry to quote.



Competitive pricing on all products.



Same day deliveries available across the uk.

# PRODUCT CONTENTS

Here at Essential Access Platforms, we operate a modern hire fleet of scissor lifts, booms lifts and specialist spider lifts. We offer a thorough service to all our customers, working hard to ensure the correct selection of platform for your requirements resulting in a successful rental every time.

## SCISSOR LIFTS

→ Zoomlion 1530	page 7	→ JCB S3246E	page 10
→ JCB S1930E	page 7	→ JCB S4046E	page 11
→ Snorkel S2755RT	page 8	→ Snorkel S3970RTE	page 11
→ JCB S2646E	page 8	→ JCB 4550E	page 12
→ JCB SE2632E	page 9	→ Skyjack 9250	page 12
→ Snorkel S3370RTE	page 9	→ Zoomlion ZS5390RT	page 13
→ Snorkel S3370RT	page 10		

## BOOM LIFTS

→ Haulotte Star 10	page 15	→ Niftylift HR17E	page 21
→ Genie Z30N	page 15	→ Niftylift HR17N	page 21
→ Niftylift HR12	page 16	→ Ruthman SA18	page 22
→ Genie Z 33/18	page 16	→ Snorkel A62JRT	page 22
→ Niftylift HR12NE	page 17	→ Sinoboomb AB600	page 23
→ Snorkel A38E	page 17	→ Niftylift HR21	page 23
→ Genie Z45	page 18	→ Genie S65	page 24
→ Genie Z45FE	page 18	→ Genie Z80	page 24
→ Niftylift HR15	page 19	→ Skyjack SJ85AJ	page 25
→ Snorkel A46RT	page 19	→ Manitou 280TJ+	page 25
→ Snorkel A46JRTE	page 20	→ Niftylift HR28	page 26
→ Niftylift HR17	page 20		

## ELECTRIC LIFTS

→ Genie AWP-25S	page 28	→ Popuppro IQ10	page 30
→ Snorkel TM12	page 28	→ Snorkel S3010P	page 31
→ Skyjack SJ16	page 29	→ Snorkel S3010E	page 31
→ Genie GR15	page 29	→ JLG ECOLIFT	page 32
→ Genie GR20	page 30	→ JLG PECOLIFT	page 32

## ACCESS PLATFORMS

→ Scaffold Tower	page 34	→ Podium Steps	page 37
→ Stairway Tower	page 35	→ Builders Steps	page 37
→ Single Person Tower	page 35	→ GRP steps	page 38
→ Folding Tower	page 36	→ Combi Ladder	page 38
→ Delta Deck	page 36	→ Extension Ladder	page 39

## LIFTING EQUIPMENT

→ Genie Super Lift Advantage	page 41	→ Forklift Tipping Skip	page 45
→ Genie Super Lift Accessories	page 41	→ Rubble Truck	page 45
→ Hand Pallet Truck	page 42	→ Board Trolley	page 46
→ Powered Pallet Truck	page 42	→ Manual Chain Hoist	page 46
→ Fork Extensions	page 43	→ Electric Chain Hoist	page 47
→ Forklift Telescopic Jib	page 43	→ Manual Tirfor Winches	page 47
→ Forklift Hook Attachment	page 44	→ Remote Control Minifor Winches	page 48
→ Forklift Man Basket	page 44	→ Forklift Truck	page 48
		→ Mini Crane Hire	page 49

## SURVEY & SAFETY

→ Cable & Pipe Locator & Transmitter (CAT4)	page 51	→ Roof Man Anchor	page 52
→ Laser Levels	page 51	→ Duct Rod	page 53
→ Total Station	page 52	→ Fire Point Trolley	page 53

## PLANT MACHINERY

→ Excavators	page 55	→ Roller	page 57
→ Dumpers	page 56	→ Telehandlers	page 58
→ Walk Behind Tracked Dumper	page 56		

## BUILDING & SITEWORKS

→ Fence Panels	page 60	→ Bowsers	page 62
→ Pedestrian Barriers	page 60	→ Fuel Caddi	page 63
→ Chapter 8 Barriers	page 61	→ Ground Matt	page 63
→ Diesel Pressure Washer Bowser	page 61	→ Road Plate	page 64
→ Petrol Pressure Washer Bowser	page 62	→ Props & Strongboys	page 64
		→ Site Stores	page 65

## WASTE

→ Man & Van Service	page 66	→ Skip & RORO Service	page 66
---------------------	---------	-----------------------	---------

## WELFARE & ACCOMODATION

→ Towable Welfare Units	page 60	→ Site Accommodation	page 62
		→ Storage Containers	page 63

## BREAKING & DRILLING

→ 110v Breakers	page 60	→ Core Drills	page 62
→ Dust Extractor	page 60	→ Diamond Drill Rigs	page 63

## POWER & LIGHTING

→ Site Lighting	page 60	→ Diesel Generators	page 62
→ Petrol Generators	page 60	→ Trolley Mounted	
		→ Site Diesel Generators	page 63

# ACCESS MACHINES - SCISSOR LIFTS

With a wide fleet of electric scissor available ranging from 6m all the way up to 16m, we can ensure whatever your requirements we will have a machine for you.



## SCISSOR LIFT CONTENTS

- |                    |                |                     |                |
|--------------------|----------------|---------------------|----------------|
| → Zoomlion 1530    | <b>page 7</b>  | → JCB S4046E        | <b>page 11</b> |
| → JCB S1930E       | <b>page 7</b>  | → Snorkel S3970RTE  | <b>page 11</b> |
| → Snorkel S2755RT  | <b>page 8</b>  | → JCB 4550E         | <b>page 12</b> |
| → JCB S2646E       | <b>page 8</b>  | → Skyjack 9250      | <b>page 12</b> |
| → JCB SE2632E      | <b>page 9</b>  | → Zoomlion ZS5390RT | <b>page 13</b> |
| → Snorkel S3370RTE | <b>page 9</b>  |                     |                |
| → Snorkel S3370RT  | <b>page 10</b> |                     |                |
| → JCB S3246E       | <b>page 10</b> |                     |                |

## Zoomlion 1530

Zoomlion 1530 Electric Scissor Lifts. The full Zoomlion electric range are perfect for any indoor work where Diesel engines are prohibited.



Scan me to  
find out more!



SPECIFICATION	ZOOMLION 1530
Working Height	6.5 m
Raised Platform Height	4.5 m
Lowered Platform Height	1.44 m
Overall Dimensions (L x W)	1.85m x 0.76m
Overall Capacity	240kg
Weight	895kg
Fuel	Electric

## JCB S1930E

The S1930E is a compact machine capable of comfortably operating in tight, restrictive spaces.



Scan me to  
find out more!



## Snorkel S2755RT

Snorkel Rough Terrain Scissor lift range offer rounded all terrain performance. Equipped with hydraulic outriggers and self levelling capabilities these scissor lifts are perfect for any and all of your job sites.



Scan me to find out more!



SPECIFICATION	Snorkel S2755RT
Working Height	10m
Raised Platform Height	8.1m
Lowered Platform Height	2.5m
Overall Dimensions (L x W)	3.3 m x 1.45m
Overall Capacity	300kg
Weight	2,750kg
Fuel	Diesel

## JCB S2646E

The S2646E is an outdoor rated electric scissor machine and comes with standard fit non-marking tyres, making it ideal for indoor or outdoor use.



Scan me to find out more!



SPECIFICATION	JCB S2646E
Working Height	10.1m
Raised Platform Height	8.1m
Lowered Platform Height	1.96m
Overall Dimensions (L x W)	2.39m x 1.15m
Overall Capacity	450kg
Weight	2,528kg
Fuel	Electric

## JCB SE2632E

The JCB SE2632E, as with all of the JCB electric scissor lift range that is available for hire, has easily collapsible guard rails further increasing machine versatility.



Scan me to find out more!




SPECIFICATION	JCB SE2632E
Working Height	10.1m
Raised Platform Height	8.1m
Lowered Platform Height	2.35m
Overall Dimensions (L x W)	2.25m x 1.15m
Overall Capacity	250kg
Weight	1,972kg
Fuel	Electric

## Snorkel S3370RTE

The Snorkel S3370RTE compact rough terrain electric scissor lift is clean and quiet. It delivers superb terrain capabilities from a compact design to easily navigate tight areas.



Scan me to find out more!



SPECIFICATION	SNORKEL S3370RTE
Working Height	12m
Raised Platform Height	10m
Lowered Platform Height	2.7m
Overall Dimensions (L x W)	3.4m x 1.8m
Overall Capacity	454kg
Weight	3,620kg
Fuel	Electric

## Snorkel S3370RT

Snorkel Rough Terrain Scissor lift range offer rounded all terrain performance. Equipped with hydraulic outriggers and self levelling capabilities these scissor lifts are perfect for any and all of your job sites.



Scan me to find out more!



SPECIFICATION	SNORKEL S3370RT
Working Height	12m
Raised Platform Height	10m
Lowered Platform Height	2.7m
Overall Dimensions (L x W)	3.4m x 1.8 m
Overall Capacity	454kg
Weight	3,620kg
Fuel	Diesel

## JCB S3246E

Designed to be safe, productive and easy to operate, the JCB S3246E is ideal for any site.



Scan me to find out more!



SPECIFICATION	JCB S3246E
Working Height	12m
Raised Platform Height	10m
Lowered Platform Height	2.48m
Overall Dimensions (L x W)	2.25m x 1.15m
Overall Capacity	320kg
Weight	2,646kg
Fuel	Electric

## JCB S4046E

The JCB S4046E has been designed in-house, with many unique features making it safe, productive and easy to operate and service.



Scan me to find out more!



SPECIFICATION	JCB S4046E
Working Height	13.9m
Raised Platform Height	11.9m
Lowered Platform Height	2.60m
Overall Dimensions (L x W)	2.39m x 1.15m
Overall Capacity	320kg
Weight	2,996kg
Fuel	Electric

## Snorkel S3970RTE

The Snorkel S3970RTE compact rough terrain electric scissor lift delivers dynamic performance. Equipped with long-lasting lithium-ion batteries, this scissor lift offers clean and quiet operation.



Scan me to find out more!



SPECIFICATION	SNORKEL S3970RTE
Working Height	13.8m
Raised Platform Height	11.8m
Lowered Platform Height	2.95m
Overall Dimensions (L x W)	3.4m x 1.8m
Overall Capacity	350kg
Weight	3,790kg
Fuel	Electric

## JCB 4550E

The JCB S4550E has an impressive 45 foot platform height, giving it great capabilities. This scissor lift has tamper proofed safety systems, making it both robust and durable.



Scan me to find out more!




SPECIFICATION	JCB 4550
Working Height	15.8m
Raised Platform Height	13.8m
Lowered Platform Height	2.6m
Overall Dimensions (L x W)	2.64m x 1.25m
Overall Capacity	227kg
Weight	3,366kg
Fuel	Electric

## Skyjack 9250

Skyjack's full size Rough Terrain Scissor Lift, the Skyjack 9250, deliver huge platforms, soaring work heights and heavy duty capacities



Scan me to find out more!



SPECIFICATION	SKYJACK 9250
Working Height	17.07m
Raised Platform Height	15.24m
Lowered Platform Height	2.01m
Overall Dimensions (L x W)	4.47m x 2.34m
Overall Capacity	680 kg
Weight	6,895kg
Fuel	Diesel

## Zoomlion ZS5390RT


ZS1623RT adopts modern design such as modularization, light weight, commonalization and intelligence and provides large lift capacity and high reliability.



Scan me to find out more!



SPECIFICATION	ZOOMLION ZS5390RT
Working Height	18m
Raised Platform Height	16m
Lowered Platform Height	2.03m
Overall Dimensions (L x W)	4.88m x 2.3m
Overall Capacity	680kg
Weight	8,650kg
Fuel	Diesel



### ENQUIRE TODAY

If you're looking to hire our products or want to find out some more information on what we offer, simply get in touch with our dedicated team of specialists.

**0330 1757 185** or simply email [sales@essentialsiteservices.co.uk](mailto:sales@essentialsiteservices.co.uk)

# ACCESS MACHINES - BOOM LIFTS

Here at Essential Access Platforms we can supply a boom lift to suit any and all of your enquiries. With a fleet ranging from 10M up to 28M.



## ACCESS BOOM CONTENTS

- |                    |                |                   |                |
|--------------------|----------------|-------------------|----------------|
| → Haulotte Star 10 | <b>page 15</b> | → Niftylift HR17E | <b>page 21</b> |
| → Genie Z30N       | <b>page 15</b> | → Niftylift HR17N | <b>page 21</b> |
| → Niftylift HR12   | <b>page 16</b> | → Ruthman SA18    | <b>page 22</b> |
| → Genie Z 33/18    | <b>page 16</b> | → Snorkel A62JRT  | <b>page 22</b> |
| → Niftylift HR12NE | <b>page 17</b> | → Sinoboom AB600  | <b>page 23</b> |
| → Snorkel A38E     | <b>page 17</b> | → Niftylift HR21  | <b>page 23</b> |
| → Genie Z45        | <b>page 18</b> | → Genie S65       | <b>page 24</b> |
| → Genie Z45FE      | <b>page 18</b> | → Genie Z80       | <b>page 24</b> |
| → Niftylift HR15   | <b>page 19</b> | → Skyjack SJ85AJ  | <b>page 25</b> |
| → Snorkel A46RT    | <b>page 19</b> | → Manitou 280TJ+  | <b>page 25</b> |
| → Snorkel A46JRTE  | <b>page 20</b> | → Niftylift HR28  | <b>page 26</b> |
| → Niftylift HR17   | <b>page 20</b> |                   |                |

## Haulotte Star 10

The Haulotte Star 10 Boom Lift, is a truly capable and reliable machine. The Silent Electric Power train and narrow profile makes the Haulotte Star 10 perfect for you indoor operations whatever they may be.



Scan me to find out more!




SPECIFICATION	HAULOTTE STAR 10
Working Height	10m
Max Horizontal Reach	3m
Weight	2,677kg
Lift Capacity	200kg
Overall Length	2.7m
Fuel	Electric

## Genie Z30N

The Z30N boom offers quiet, emission-free operation in the most sensitive work environments. Operators can easily drive through standard doorways, work close to buildings or around obstacles.



Scan me to find out more!



SPECIFICATION	GENIE Z30N
Working Height	10.89m
Max Horizontal Reach	6.25m
Weight	6,450kg
Lift Capacity	227kg
Overall Length	5.31m
Fuel	Electric



## Niftylift HR12

With its compact dimensions and class-leading working envelope, the HeightRider Niftylift hr12 has always been versatile and reliable.



Scan me to find out more!



SPECIFICATION	NIFTYLIFT HR12
Working Height	12.2m
Max Horizontal Reach	6.1m
Weight	3,470kg
Lift Capacity	200kg
Overall Length	4.1m
Fuel	Bi-Fuel

## Niftylift HR12NE

The HeightRider 12 Narrow Electric (HR12NE) is a zero-emission self-propelled work platform from Niftylift.



Scan me to find out more!



SPECIFICATION	NIFTYLIFT HR12NE
Working Height	12.1m
Max Horizontal Reach	6.4m
Weight	3,250kg
Lift Capacity	200kg
Overall Length	3.97m
Fuel	Electric

## Genie Z 33/18

With the zero-emissions Genie® Z®-33/18 articulating electric boom lift, drive through standard doorways, around obstacles and access overhead work from aisles even in areas where weight is limited.



Scan me to find out more!



SPECIFICATION	GENIE Z33/18
Working Height	12m
Max Horizontal Reach	5.57m
Weight	3,671 kg
Lift Capacity	200kg
Overall Length	4.17m
Fuel	Electric

## Snorkel A38E

The class-leading Snorkel A38E is a lightweight, durable and reliable electric articulated boom lift. Designed for internal and external use, this lift benefits from compact dimensions.



Scan me to find out more!



SPECIFICATION	SNORKEL A38E
Working Height	13.5m
Max Horizontal Reach	6.1m
Weight	3,880kg
Lift Capacity	215kg
Overall Length	4.1m
Fuel	Electric

## Genie Z45

Quiet, clean and energy efficient, the Genie Z-45/25 DC has a powerful electric motor and the battery capacity to work a full shift on a single charge.



Scan me to find out more!



SPECIFICATION	GENIE Z45
Working Height	15.87m
Max Horizontal Reach	7.62m
Weight	6,963kg
Lift Capacity	227kg
Overall Length	4.1m
Fuel	Battery, Diesel

## Genie Z45FE

The new Genie Z-45 FE offers best of both worlds with its Hybrid platform. Also sporting a full 4wd system makes this the perfect solution to any construction site.



Scan me to find out more!



SPECIFICATION	GENIE Z45FE HYBRID
Working Height	15.92m
Max Horizontal Reach	6.94 m
Weight	6,559kg
Lift Capacity	300kg
Overall Length	6.11m
Fuel	Hybrid

## Niftylift HR15

The new Niftylift HR15N will lift 2 men and their tools to a working height of 15.5m or a working outreach of 9.7m.



Scan me to find out more!



SPECIFICATION	NIFTYLIFT HR15
Working Height	15.4m
Max Horizontal Reach	9.6m
Weight	6,680kg
Lift Capacity	225kg
Overall Length	6.4m
Fuel	Hybrid

## Snorkel A46RT

Class-leading diesel articulated boom lift delivering a superb working envelope and excellent 4 wheel drive performance.



Scan me to find out more!



SPECIFICATION	SNORKEL A46RT
Working Height	16.3m
Max Horizontal Reach	7.35m
Weight	7,540kg
Lift Capacity	227kg
Overall Length	5.7m
Fuel	Diesel

## Snorkel A46JRTE

The Snorkel A46JE is a class-leading electric articulated boom lift which can lift 227kg to a working height of 16.1m.



Scan me to find out more!



SPECIFICATION	SNORKEL A46JRTE
Working Height	16.3m
Max Horizontal Reach	7.35m
Weight	7,540 kg
Lift Capacity	227kg
Overall Length	5.7m
Fuel	Electric

## Niftylift HR17

The HeightRider 17 4-wheel-drive (HR17 4x4) offers one of the most impressive working envelopes in its class. Its compact base allows it to manoeuvre easily in enclosed spaces.



Scan me to find out more!



SPECIFICATION	NIFTYLIFT HR17
Working Height	17.2m
Max Horizontal Reach	9.4 m
Weight	7,650kg
Lift Capacity	225kg
Overall Length	6.4m
Fuel	Diesel

## Niftylift HR17E

The all-electric HR17E will lift 2 men and their tools to working heights of 17m with zero tail-swing allowing it to reach those awkward jobs where space is limited.



Scan me to find out more!



SPECIFICATION	NIFTYLIFT HR17E
Working Height	17m
Max Horizontal Reach	9.7m
Weight	7,780kg
Lift Capacity	225kg
Overall Length	6.4 m
Fuel	Electric

## Niftylift HR17N

The new Niftylift HR17N will lift 2 men and their tools to a working height of 17m or a working outreach of 9.7m. Its useful 180° rotating cage and fly-boom coupled deliver exceptional precision when positioning.



Scan me to find out more!



SPECIFICATION	NIFTYLIFT HR17N
Working Height	17m
Max Horizontal Reach	9.7m
Weight	7,650kg
Lift Capacity	225kg
Overall Length	6.4m
Fuel	Hybrid

## Ruthman SA18

The fully electric Ruthman SA18 has a self stabilizing system and can lift 230kg at a maximum height of 17.8m.



Scan me to find out more!



SPECIFICATION	RUTHMANN SA18
Working Height	17.8m
Max Horizontal Reach	6.8m
Weight	1,950kg
Lift Capacity	230kg
Overall Length	1.3m
Fuel	Lithium Hybrid

## Snorkel A62JRT

The Snorkel A62JRT is a high performance articulated boom lift. With compact dimensions, zero tailswing and an ultra-tight turning radius, this lift is ideal for working in confined spaces



Scan me to find out more!



SPECIFICATION	SNORKEL A62JRT
Working Height	20.8m
Max Horizontal Reach	11.1m
Weight	11,300kg
Lift Capacity	227kg
Overall Length	8.6m
Fuel	Diesel

## Sinoboom AB600

Electric mode will have enough battery life to run for a full working day before needing to be charged.



Scan me to find out more!



SPECIFICATION	SINOBOOM AB600
Working Height	20.3m
Max Horizontal Reach	12.2 m
Weight	10,700kg
Lift Capacity	250kg
Overall Length	8.6m
Fuel	Electric

## Niftylift HR21

The Height Rider 21 (HR21) Hybrid All-Wheel-Drive (AWD) is one of a new generation of environmentally conscious work platforms from Niftylift.



Scan me to find out more!



SPECIFICATION	NIFTYLIFT HR21
Working Height	20.8m
Max Horizontal Reach	13m
Weight	6,680kg
Lift Capacity	250kg
Overall Length	6.62m
Fuel	Hybrid

## Genie S65

The Genie S65 telescopic boom lift has a maximum working height of 21.8m and a huge outreach of 17.1m.



Scan me to find out more!



SPECIFICATION	GENIE S65
Working Height	21.8m
Max Horizontal Reach	16.51m
Weight	10,024kg
Lift Capacity	227 kg
Overall Length	9.76m
Fuel	Diesel

## Genie Z80

The Genie Z80 has an impressive outreach of 25.77m, this outstanding articulated boom lift delivers lifting versatility with up, out and over positioning capabilities.



Scan me to find out more!



SPECIFICATION	GENIE Z80
Working Height	25.77m
Max Horizontal Reach	18.29m
Weight	17,010kg
Lift Capacity	227kg
Overall Length	11.27m
Fuel	Diesel

## Skyjack SJ85AJ

The SkyJack SJ85 AJ is the ideal solution for working at height, with reduced transportation costs. This boom lift is available to hire from Powered Access Solutions with or without an operator.



Scan me to find out more!



SPECIFICATION	SKYJACK SJ85AJ
Working Height	27.74 m
Max Horizontal Reach	17.07m
Weight	16,965kg
Lift Capacity	340kg
Overall Length	8.6m
Fuel	Diesel

## Manitou 280TJ+

The Manitou 280TJ telescopic boom is compact in dimensions with a lower weight than comparable machines, which improves manoeuvrability on cluttered sites and makes transport easier.



Scan me to find out more!



SPECIFICATION	MANITOU 280TJ+
Working Height	27.75m
Max Horizontal Reach	21.45m
Weight	16,550kg
Lift Capacity	240kg
Overall Length	8.04m
Fuel	Diesel

## Niftylift HR28

The Height Rider 28 (HR28) Hybrid Four-Wheel-Drive (4x4) is one of a new generation of environmentally conscious work platforms from Niftylift.



Scan me to find out more!



SPECIFICATION	NIFTYLIFT HR28
Working Height	28m
Max Horizontal Reach	19m
Weight	14,650kg
Lift Capacity	280kg
Overall Length	9.28m
Fuel	Hybrid



### ENQUIRE TODAY

If you're looking to hire our products or want to find out some more information on what we offer, simply get in touch with our dedicated team of specialists.

**0330 1757 185** or simply email [sales@essentialsiteservices.co.uk](mailto:sales@essentialsiteservices.co.uk)

# ACCESS MACHINES - ELECTRIC LIFTS

We have a variety of small and compact electrical lifts for those jobs which are limited on space and when manoeuvrability is key.



### ELECTRIC LIFTS CONTENTS

- Genie AWP-25S **page 28**
- Snorkel TM12 **page 28**
- Skyjack SJ16 **page 29**
- Genie GR15 **page 29**
- Genie GR20 **page 30**
- Poppuppro IQ10 **page 30**
- Snorkel S3010P **page 31**
- Snorkel S3010E **page 31**
- JLG ECOLIFT **page 32**
- JLG PECOLIFT **page 32**

## Genie AWP-25S

The full Genie AWP range consist of compact push around lifts which are known worldwide for their ease of use and reliability.



Scan me to find out more!



SPECIFICATION	GENIE AWP-25S
Working Height	9.57m
Raised Platform Height	7.57m
Weight	330kg
Lift Capacity	159kg
Overall Length	1.31m
Fuel	Electric

## Snorkel TM12

The Snorkel TM12 is a versatile and compact self-propelled mast lift – perfect for maintenance duties as it fits easily through a single doorway and can be carried in passenger elevators.



Scan me to find out more!




SPECIFICATION	SNORKEL TM12
Working Height	5.6m
Raised Platform Height	3.6m
Weight	830kg
Lift Capacity	227kg
Overall Length	1.34m
Fuel	Electric

## Skyjack SJ16

The Skyjack SJ16 self propelled vertical mast lift provides a compact footprint and superior maneuverability.



Scan me to find out more!



SPECIFICATION	SKYJACK SJ16
Working Height	6.75m
Raised Platform Height	4.75m
Weight	966kg
Lift Capacity	340kg
Overall Length	1.37m
Fuel	Electric

## Genie GR15

The Genie GR15 offers an efficient and convenient setup for any internal task in which a powered access platform is necessary.



Scan me to find out more!



SPECIFICATION	GENIE GR15
Working Height	6.47m
Raised Platform Height	4.5m
Weight	988kg
Lift Capacity	227kg
Overall Length	1.35m
Fuel	Electric

## Genie GR20

The Genie® GR20 lift is a compact, low-weight machine that increases productivity on the job thanks to its ability to fit through doorways and in most passenger elevators.



Scan me to find out more!



SPECIFICATION	GENIE GR20
Working Height	8.02m
Raised Platform Height	6.02m
Weight	1,112kg
Lift Capacity	159kg
Overall Length	1.35m
Fuel	Electric

## Popupro IQ10

Our Pop Up Platform is versatile and easy to use, allowing you a working height of up to 5.0m. It weighs only 370kg and is easy to push around and move into position



Scan me to find out more!



SPECIFICATION	POPUPPRO IQ10
Working Height	5.0 m
Raised Platform Height	3.0 m
Weight	394kg
Lift Capacity	240kg
Overall Length	1.2 m
Fuel	Electric

## Snorkel S3010P

The Snorkel S3010P is a heavy-duty and robust mini scissor lift, which is easy to use and simple to maintain. The S3010P can lift 240kg to a working height of 5 metres.



Scan me to find out more!



SPECIFICATION	SNORKEL S3010P
Working Height	5.0m
Raised Platform Height	3.0m
Weight	370kg
Lift Capacity	240kg
Overall Length	1.2m
Fuel	Electric

## Snorkel S3010E

Simple to operate, the S3010E is equipped with skid-steer and boasts a zero inside turning radius – perfect for working in confined spaces and narrow aisles.



Scan me to find out more!



SPECIFICATION	SNORKEL S3010E
Working Height	5.0m
Raised Platform Height	3.0m
Weight	495kg
Lift Capacity	227kg
Overall Length	1.26m
Fuel	Electric



## JLG ECOLIFT

The JLG Ecolift is ideal for finish work, multi-story projects. Used by mechanical, electrical and HVAC contractors, painters, etc.



Scan me to find out more!



SPECIFICATION	JLG ECOLIFT
Working Height	4.20m
Raised Platform Height	2.20m
Weight	305kg
Lift Capacity	150kg
Overall Length	1.28m
Fuel	Electric

## JLG PECOLIFT

The JLG Pecolift is ideal for cleaning, painting, decorating and general building maintenance in offices, schools, hospitals, institutional and industrial maintenance.



Scan me to find out more!



SPECIFICATION	JLG PECOLIFT
Working Height	3.50m
Raised Platform Height	1.50m
Weight	180kg
Lift Capacity	150kg
Overall Length	0.99m
Fuel	Electric

# ACCESS



## ACCESS PLATFORM CONTENTS

- Scaffold Tower **page 34**
- Stairway Tower **page 35**
- Single Person Tower **page 35**
- Folding Tower **page 36**
- Delta Deck **page 36**
- Podium Steps **page 37**
- Builders Steps **page 37**
- GRP steps **page 38**
- Combi Ladder **page 38**
- Extension Ladder **page 39**

## Scaffold Tower

Available in single and double width.

### WANT TO HIRE THIS PRODUCT?

Get in touch with our dedicated hire team on **0330 1757 185** or simply email [sales@essentialsiteservices.co.uk](mailto:sales@essentialsiteservices.co.uk)



Scan me to find out more!



PRODUCT	PLATFORM HEIGHT (m)	WORKING HEIGHT (m)
2.2mtr Handrail Alloy Tower	1.2	3.2
3.2mtr Handrail Alloy Tower	2.2	4.2
4.2mtr Handrail Alloy Tower	3.2	5.2
5.2mtr Handrail Alloy Tower	4.2	6.2
6.2mtr Handrail Alloy Tower	5.2	7.2
7.2mtr Handrail Alloy Tower	6.2	8.2
8.2mtr Handrail Alloy Tower	7.2	9.2
9.2mtr Handrail Alloy Tower	8.2	10.2
10.2mtr Handrail Alloy Tower	9.2	11.2
11.2mtr Handrail Alloy Tower	10.2	12.2

## Stairway Tower

Stairway Towers are designed to be used on stairways and narrow access passages.



Scan me to find out more!



PRODUCT	PLATFORM HEIGHT (m)	WORKING HEIGHT (m)
4mtr Handrail Stairway Tower	3.0	5.0
6mtr Handrail Stairway Tower	5.0	7.0
8mtr Handrail Stairway Tower	7.0	9.0

## Single Person Tower

This one person quick build tower can be assembled in around 10 minutes and comes self-contained in its own transport and storage pack making it easily fit through standard doorways and into a small van.



Scan me to find out more!



PLATFORM HEIGHT (m)	WORKING HEIGHT (m)
4.0	5.0

## Folding Tower

A quick and easy to erect internal tower ideal for decorating and maintenance.



Scan me to find out more!



MAX PLATFORM HEIGHT (m)

1.8mtr

BASE

1.8 x 0.77

WEIGHT

90kg

## Delta Deck

This low level work platform is ideal when working below 3m.



Scan me to find out more!



MAX WORKING HEIGHT (m)

2.45-2.87

MAX PLATFORM HEIGHT (m)

0.45-0.87

S.W.L (kg)

27

## Podium Steps

These lightweight and compact mobile access podiums are the perfect working at height solution for low level access.



Scan me to find out more!



PRODUCT

Anti Surf Podium

PLATFORM HEIGHT (m)

1.0

WORKING HEIGHT (m)

3.0

Anti Surf Podium

1.5

3.5

## Builders Steps

These lightweight swingback step ladders are used for quick access to low level areas.



Scan me to find out more!



YMSTB8

TREDS

6

8

10

12

OPEN HEIGHT (m)

1.3

1.7

2.2

2.6

## GRP Steps

None conducting steps ideal for working around electricity.



Scan me to find out more!



TREDS	OPEN HEIGHT (m)
6	1.67
8	2.23
10	2.79

## Combi Ladder

This 3 section ladder can be used in stepladder, freestanding extension ladder or extension ladder mode.



Scan me to find out more!



PRODUCT	CLOSED HEIGHT (m)	WORKING HEIGHT IN EXTENSION MODE (m)
1.9mtr Combi Ladder	1.84	4.4
2.4mtr Combi Ladder	2.4	5.76
3.6mtr Combi Ladder	3.52	9.0

## Extension Ladder


These extension ladders are available in various sizes with both 2 and 3 Sections.



Scan me to find out more!



PRODUCT	SAFE WORKING (m)	SECTIONS x RUNGS
Double 12	6.59	2 x 12
Treble 8	6.05	3 x 8
Treble 12	9.32	3 x 12



### ENQUIRE TODAY

If you're looking to hire our products or want to find out some more information on what we offer, simply get in touch with our dedicated team of specialists.

**0330 1757 185** or simply email [sales@essentialsiteservices.co.uk](mailto:sales@essentialsiteservices.co.uk)

# LIFTING EQUIPMENT



## LIFTING CONTENTS

- Genie Super Lift Advantage **page 41**
- Genie Super Lift Accessories **page 41**
- Hand Pallet Truck **page 42**
- Powered Pallet Truck **page 42**
- Fork Extensions **page 43**
- Forklift Telescopic Jib **page 43**
- Forklift Hook Attachment **page 44**
- Forklift Man Basket **page 44**
- Forklift Tipping Skip **page 45**
- Rubble Truck **page 45**
- Board Trolley **page 46**
- Manual Chain Hoist **page 46**
- Electric Chain Hoist **page 47**
- Manual Tirfor Winches **page 47**
- Remote Control Minifor Winches **page 48**
- Forklift Truck **page 48**
- Mini Crane Hire **page 49**

## Genie Super Lift Advantage

These one man manually operated lifts are suitable for a variety of tasks including warehouse, ducting and ventilation & steel installations.



Scan me to find out more!



PRODUCT	LIFT HEIGHT (m)	SWL (kg)
SL10 material lift	3.05	454kg
SL15 material lift	4.6	363kg
SL25 material lift	7.6	295kg

## Genie Super Lift Accessories

### GET IN TOUCH TO FIND OUT MORE

Then get in touch with our dedicated hire team on **0330 1757 185** or simply email [sales@essentialsiteservices.co.uk](mailto:sales@essentialsiteservices.co.uk)

PRODUCT	WEIGHT (kg)
Extension forks	4.0
Cradle	4.5
Boom	15.6

## Hand Pallet Truck

This heavy-duty pallet truck increases productivity in warehouses & on site by decreasing the need for manual handling with this highly manoeuvrable product.



Scan me to find out more!



HEIGHT OF LIFT (mm)	SAFE WORKING LOAD (kg)	DIMENSIONS L x W x H (mm)
200	2000	1220 x 520 x 1000

## Fork Extensions

These extensions come in two sizes and will fit all standard forklifts and telehandlers.



Scan me to find out more!



ITEM	LIFT HEIGHT (m)
2t fixed	1.8 / 2.1

## Powered Pallet Truck

This battery powered pallet truck makes light work of palletised loads.



Scan me to find out more!



HEIGHT OF LIFT (mm)	SAFE WORKING LOAD (kg)	DIMENSIONS L x W x H (mm)
195	1300	1570 x 700 x 1222

## Forklift Telescopic Jib

The extending Jib allows the movement of long and awkward loads from inaccessible locations with up to 9 different lifting positions and with the added benefit of two hooks and shackles so as to 'cradle' your load.



Scan me to find out more!



S.W.L
1t up to 5t

## Forklift Hook Attachment

These fork mounted hooks provide a safe method of converting a forklift or telehandler into a mini version of a mobile crane.



Scan me to find out more!



S.W.L

2t up to 5t

## Forklift Tipping Skip

These tipping skips are designed to simplify the job of manoeuvring material around site in confined spaces.



Scan me to find out more!



CAPACITY (ltr)

300, 500, 750, 1200

## Forklift Man Basket

These are designed to carry personnel while safely working at height. These are to be used with a forklift or a crane.



Scan me to find out more!



S.W.L

1 man or 2 man

## Rubble Truck

These rubble trucks are designed with a large 400ltr capacity and an in-built tipping feature making handling and moving waste around site simple.



Scan me to find out more!



S.W.L (kg)

750

WEIGHT (kg)

88

DIMENSIONS L x W x H (mm)

750 x 1460 x 865

## Board Trolley

These heavy duty high quality board trolleys can be used for transporting wall boards/MDF and other difficult to carry panels  
\*Not for use with glass\*



Scan me to find out more!



S.W.L (kg)	WEIGHT (kg)	DIMENSIONS L x W x H (mm)
350	41	1.5 x 0.7 x 1.2

## Manual Chain Hoist

Manual lifting made easy with these light hoists for their capacity.



Scan me to find out more!



S.W.L (t)	HEIGHT OF LIFT (m)
0.5	6 / 9 / 12 / 15
1.0	6 / 9 / 12 / 15
2.0	6 / 9 / 12 / 15

## Electric Chain Hoist

Our range of electrically powered chain hoists take the hard work out of raising and lowering loads through significant vertical distances.



Scan me to find out more!



S.W.L (t)	HEIGHT OF LIFT (m)
0.5	9 / 15 / 25
1.0	9 / 15 / 25
2.0	9 / 15 / 25
3.0	15

## Manual Tirfor Winches

The manual winches offer versatility in the forestry, Agricultural & steel erection industry making lifting a load and putting it into position a simple task.



Scan me to find out more!



S.W.L (kg)	WEIGHT (kg)	ROPE TRAVEL PER STROKE (mm)
800	9	65
1600	18	56
3200	27	32




## Remote Control Minifor Winches

Lightweight powerful lifts that will raise loads quickly, safely with minimum effort. \*ropes are an additional product\*



Scan me to find out more!



VOLTAGE	S.W.L (kg)	WEIGHT (kg) W/O ROPE
110v	300	21
110v	500	32

## Forklift Truck

National coverage of forklifts available with a spec to suit all jobs in either LPG/Diesel/Electric.



Scan me to find out more!




## Mini Crane Hire

National coverage of cranes available with a spec to suit all jobs, Free site surveys available.



Scan me to find out more!



### ENQUIRE TODAY

If you're looking to hire our products or want to find out some more information on what we offer, simply get in touch with our dedicated team of specialists.

**0330 1757 185** or simply email [sales@essentialsiteservices.co.uk](mailto:sales@essentialsiteservices.co.uk)

# SURVEY & SAFETY



## SURVEY & SAFETY CONTENTS

- Cable & Pipe Locator & Transmitter (CAT4) **page 51**
- Laser Levels **page 51**
- Total Station **page 52**
- Roof Man Anchor **page 52**
- Duct Rod **page 53**
- Fire Point Trolley **page 53**

## Cable & Pipe Locator & Transmitter (CAT4)

These cable detectors and genny transmitters automatically locate power or radio signals, helping to confirm the presence of services upon initial site occupation, making cable detection easy & safe.



Scan me to find out more!



MAX DETECTION DEPTH (m)

4

## Laser Levels

We have various models of level ensuring a solution regardless of the job!



Scan me to find out more!



AVAILABLE CONFIGURATION

Pipe Laser

Exterior Rotating Laser

Dual Grade Rotating Laser

Interior Green Rotating Laser

## Total Station

We offer a full range of models to suit all levels of project requirements – from manual total stations to robotic one-man kits.



Scan me to find out more!



## Duct Rod

These duct rods are a solution for installing cable, Detecting, and clearing blockages.



Scan me to find out more!



AVAILABLE SIZES (M)


50, 80, 100, 150, 250

## Roof Man Anchor

Surface mounted anchor for use when guard rails aren't practical.



Scan me to find out more!



AVAILABLE WITH FALL ARREST BLOCKS & INERTIA REELS

## Fire Point Trolley

Our fire point trolleys are ideal for use on construction sites and are a favourite amongst shopfitters. These trolleys come with a choice of 2 x extinguishers from CO2, Water & powder.



Scan me to find out more!



**ENQUIRE TODAY**

Call **0330 1757 185** or simply email [sales@essentialsiteservices.co.uk](mailto:sales@essentialsiteservices.co.uk)

# PLANT EQUIPMENT



## PLANT CONTENTS

- Excavators **page 55**
- Dumpers **page 56**
- Walk Behind Tracked Dumper **page 56**
- Roller **page 57**
- Telehandlers **page 58**

## Excavators

Available in various sizes and with a range of buckets and attachments we have an excavator for every job.



Scan me to find out more!



### PRODUCTS

0.75t Excavator

1.5t Excavator

3.0t Excavator

5.0t Excavator

8.0t Excavator

13t Excavator



## Dumpers

Most dumpers available in swivel or straight tip function ensuring we have a machine for every job.



Scan me to find out more!



### PRODUCT

1t Hi-Lift dumper

3t Dumper

6t Dumper

9t Dumper

9T Cabbed Dumper

## Walk Behind Tracked Dumper

These compact and all terrain machines make light work of even the most difficult site.



### PRODUCT

0.5t Walk Behind Dumper

## Roller

We have various weights and widths of roller ensuring no matter what the job we have a solution for you.



Scan me to find out more!



### PRODUCT

Pedestrian Walk Behind Roller

800mm Ride on Roller

120mm Ride on Roller

Trench Roller



## Telehandlers

These multi-purpose machines are capable of performing a wide range of essential daily site tasks, including material handling and movement.



Scan me to find out more!



### PRODUCTS

4mtr Buggyscopic

6mtr Buggyscopic

7mtr Telehandler

9mtr Telehandler

12mtr Telehandler

14mtr Telehandler

17mtr Telehandler



# BUILDING & SITEWORKS



## BUILDING & SITEWORKS CONTENTS


- |                                 |                |                      |                |
|---------------------------------|----------------|----------------------|----------------|
| → Fence Panels                  | <b>page 60</b> | → Bowers             | <b>page 62</b> |
| → Pedestrian Barriers           | <b>page 60</b> | → Fuel Caddi         | <b>page 63</b> |
| → Chapter 8 Barriers            | <b>page 61</b> | → Ground Matt        | <b>page 63</b> |
| → Diesel Pressure Washer Bowser | <b>page 61</b> | → Road Plate         | <b>page 64</b> |
| → Petrol Pressure Washer Bowser | <b>page 62</b> | → Props & Strongboys | <b>page 64</b> |
|                                 |                | → Site Stores        | <b>page 65</b> |

## Fence Panels

These temporary fencing panels use clips and feet to create a secure boundary around your site. They can be used in conjunction with vehicle and pedestrian gates.



Scan me to find out more!




PRODUCT	LENGTH (m)
Fence Panel	3.5
Pedestrian Gate	1.2
Vehicle Gate	4.2

## Pedestrian Barriers

Constructed from galvanised steel these barriers can be interlocked to form a chain and are easily erected and dismantled.



Scan me to find out more!




DIMENSIONS L x H (mm)
2300 x 1100

## Chapter 8 Barriers

These free standing highly visible 2mtr barriers are designed to be linked together and recommended for use around temporary roadworks/groundworks and excavations.



Scan me to find out more!



DIMENSIONS L x H (mm)
2000 x 1075

## Diesel Pressure Washer Bowser

Making cleaning your site a breeze this combined pressure washer and bowser is site towable and supplied with an 8mtr pressure hose and lance.



Scan me to find out more!



CAPACITY (g / ltr)
250g / 1100ltr

## Petrol Pressure Washer Bowser

This powerful yet compact pressure washer bowser is designed for harder to reach areas on site. On a full tank it will provide around 15 minutes of washing time away from a water source.



Scan me to find out more!

CAPACITY (ltr)

150

## Fuel Caddi

With a manual dispensing pump these compact units can be used to safely transport fuel around site.



Scan me to find out more!

TYPE

Diesel

CAPACITY (ltr)

110

## Bowers

Available either as a towable or static unit we have a bowser suitable for all site functions.



Scan me to find out more!

TYPE

Diesel

Diesel

Water

Water

CAPACITY (ltr)

1000

2000

1000

2000

## Ground Matt

These are an ideal ground cover solution where site need to cover soft ground from site vehicles



Scan me to find out more!


DIMENSIONS L x W (mm)

2440 x 12200



## Road Plate

Used for bridging excavations these plates come in a variety of sizes and depths depending on the weight of the vehicle travelling over them.



Scan me to find out more!

### DIMENSIONS L x W

8ft x 4ft x ½”

8ft x 4ft x ¾”

## Site Stores

Available in various sizes and for various materials/products we have a site store for every job.



Scan me to find out more!



### TYPE

### DIMENSIONS L x W x H (mm)

Tool Safe

1275 x 675 x 860

Tool Safe w/Castors

1275 x 675 x 860

Site Box

1165 x 560 x 860

Fuel Store

1275 x 675 x 655

Chemical Store

1275 x 675 x 1275

## Props & Strongboys

Available either as a towable or static unit we have a bowser suitable for all site functions.



Scan me to find out more!



### NUMBER PROP

### CLOSED HEIGHT & OPEN HEIGHT (m)

Size 1


1.0 - 1.8

Size 2

1.8 - 3.0

Size 3

2.6 - 3.9



## ENQUIRE TODAY

If you're looking to hire our products or want to find out some more information on what we offer, simply get in touch with our dedicated team of specialists.

**0330 1757 185** or simply email [sales@essentialsiteservices.co.uk](mailto:sales@essentialsiteservices.co.uk)

# WASTE

Our skip & waste removal service is simple - we can skip or remove waste from any location within the UK with the guarantee of an efficient, no fuss service.

With a network of over 500 local waste providers, you can rest assured that the highest levels of legislative compliance will be met with no compromise on cost.

Our knowledgeable team will advise the most cost-effective way of re-moving your waste regardless of the material type or the volume.



# WELFARE & ACCOMODATION



## Towable Welfare Units

Our eco towable welfare units come in various configurations ensuring no matter what the job we have a unit for you. Our prices are based on a minimum term of hire and the generator being used 50 hrs per week.



## Man & Van Service

- Same day removal with a 4 hour turnaround possible.
- Perfect for city centre work where a skip isn't feasible.
- Various load sizes available.



## Skip & RORO Service

- Sizes ranging from 4 to 40 cubic yards.
- Guaranteed to meet all duty of care obligations.
- Permits available.



### PRODUCT

6man Canteen inc. Toilet & a weekly service

10man Canteen inc. Office / Toilet & a weekly service

12man Canteen inc. toilet & a weekly service

16man Canteen inc. Office / Toilet & a weekly service

## Site Accommodation

Available in various set ups the below units can be hired in various configurations or even stacked ensuring we have a set up perfect for your requirements.




Scan me to find out more!



PRODUCT	SIZES AVAILABLE
Offices	10ft / 20ft / 24ft / 32ft
Canteens	10ft / 20ft / 24ft / 32ft
Drying Rooms	10ft / 20ft / 24ft / 32ft

## Storage Containers

These containers offer a convenient, flexible way to store equipment on your sites.



Scan me to find out more!



SIZES AVAILABLE
10ft / 20ft / 24ft / 32ft

# BREAKING & DRILLING



## 110v Breakers

We have various size breakers available for chiselling concrete or masonry, These can be used in conjunction with dust extraction units.

\*Sharpening charges applicable to all points & chisels\*



Scan me to find out more!



PRODUCT	APPROX WEIGHT
Light Duty	4kg
Medium Duty	7kg
Heavy Duty	10kg
Road Breaker	30kg

## Dust Extraction Unit

Can be used with a variety of power tools & equipment when there is a need to cut dust off at the source.

\*Dust bags available as a purchase item\*



PRODUCT

CAPACITY DRY (L)

Dust Extraction Vacuum

36

## Core Drills

\*Core bits to be priced separately\*



Scan me to find out more!




PRODUCT

Dry Diamond Drill | Wet Diamond Drill

## Diamond Drill Rigs

To be used in conjunction for precise drilling into floor or walls.



PRODUCT

Drill Rig | Vacuum Pump | Water Bottle

# POWER & LIGHTING



## Lighting Towers

Available in various sizes and either static or portable our diesel lighting towers provide light for large outdoor areas.



PRODUCT

POWER

Rechargeable Worklight

Battery

22mtr LED Festoon Light

110v

Tripod Light Single Head

110v

Tripod Light Twin Head

110v

## Petrol Generators

Lightweight and portable generators suitable for the majority of small tool power requirements.



PRODUCT

2.7kva

4.0kva

FUEL TYPE

Petrol

Petrol

## Diesel Generators Trolley Mounted

Silent diesel generators suitable for the larger site work.



PRODUCT

6.0kva | 10kva

## Site Diesel Generators

Our large site generators come in various sizes ensuring we have one suitable to the application required. \*Distribution boards and fuel tanks available at an additional cost\*



PRODUCT

20kva | 40kva | 60kva | 100kva

# CONTACT US



### Anything you need for your construction site

If you're looking for some support with your next hire, simply get in touch today and a member of our team will be happy to help.

**Telephone:** 0330 1757 185

**Email:** [sales@essentialsiteservices.co.uk](mailto:sales@essentialsiteservices.co.uk)

**Address:** Linnshaw Industrial Estate,  
Kane House, Moss Ln,  
Walkden, M28 3LY



**ESSENTIAL**  
ACCESS PLATFORMS & SITE SERVICES

**0330 1757 185**

[sales@essentialsiteservices.co.uk](mailto:sales@essentialsiteservices.co.uk)

Linnyslaw Industrial Estate, Kane House,  
Moss Ln, Walkden M28 3LY

